

Receiving Report

Date: 11/10/5

Batch No: M119158

Supplier: METALCASTVE

Dart P/O: 15014

Packing Slip: Yes ☒ No ☐

Invoice: Yes ☐ No ☒

Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐

Waybill Attached: Yes ☐ No ☒ N/A ☐

Shipment Complete: Yes ☒ No ☐ N/A ☐

QC6 Inspection ☒ N/A ☐

Work Order ☐ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 11/10/6

Date

Received/Costing

Initial

Location

[Signature] 11/10/06

RECEIVED OCT 12 2011

INVOICE



Castle Metals®

A. M. Castle & Co

Remit To A.M. CASTLE & CO. (CANADA) INC. - B9204 P.O. BOX 9100 TORONTO, ONTARIO M4Y 3A5 CANADA	
Invoice No.	20064829
Invoice Date	10/03/2011
Account No.	50676 DART AEROSPACE LTD

Bill To DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA	Ship To DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY ON K6A 1K7 CANADA
---	--

TERMS AND CONDITIONS OF SALE
CUSTOMER NOTICE

DISCLAIMER OF WARRANTIES AND LIMITATIONS OF LIABILITY
THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING ANY REGARDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT AS EXPLICITLY STATED ON THE ACKNOWLEDGEMENT PROVIDED BY A.M. CASTLE & CO. OR ITS AFFILIATES ("CASTLE" HEREFTER).

LIABILITY FOR THE BREACH OF ANY WARRANTY IS LIMITED TO REPLACEMENT OF DEFECTIVE OR NONCONFORMING GOODS OR TO THE REFUND OF THE PURCHASE PRICE UPON RETURN OF THE GOODS TO CASTLE, AT THE OPTION OF CASTLE. CASTLE IS NOT LIABLE FOR ANY OTHER DIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, EVEN IF CASTLE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. CUSTOMER ASSUMES ALL RISKS AND LIABILITY FOR LOSS, DAMAGE OR INJURIES TO PERSONS OR PROPERTY OF CUSTOMER OR OTHERS ARISING OUT OF THE USE OR POSSESSION OF THE GOODS.

Acceptance of your order by Castle is conditional upon your agreement to the terms and conditions. If you do not agree, all goods must be promptly returned to Castle, unused and unopened. Your acceptance of delivery of any part of the goods covered by this document will be deemed an agreement to the terms and conditions of sale which are contained on this document. Any inconsistent or additional terms or conditions which may be contained in your purchase order, confirmation, or other document, are objected to by Castle.

Invoice No.	20064829	Payment Terms	1% 10, NET 30	Date Shipped	10/03/2011
Invoice Date	10/03/2011	Due Date	11/02/2011	Shipped Via	CASTLE NETWORK
Discount on Material & Labor	40.68 Discount if paid by 10/13/2011			Salesperson	Desbiens, Marc

40.68

Shipment Description	Shipment Information	Shipped Quantity / Unit Price	Amount CAD
Purchase Order #: Order # - Line #: Ordered: Item Description: Heat Number(s): Specification(s):	15014 1732524-1 680 LBS 4969.BO 0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKL E.132.0000-156.0000 424554 ASTM A276 SHIP OCTOBER 3RD ONLY	710.0000 LBS \$5.73 / LBS	\$4,068.30

Line Total:

138353438 RT HST

13% Tax

528.88

\$4,068.30

Taxes:

Invoice Total:

\$528.88

\$4,597.18

Remit Currency: CAD

CUSTOMER IS RESPONSIBLE FOR ALL SHIPPING DOCUMENTS AND COMPLIANCE WITH ALL UNITED STATES LAWS INCLUDING BUT NOT LIMITED TO U.S. EXPORT LAWS AND REGULATIONS.

ENTERED OCT 17 2011

PAID

OCT 19 2011

009497

Purchase Order Receipt Listing

Thursday, October 06, 2011 8:16:11 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO15014 Receipt Dates from 10/6/2011 to 10/6/2011 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Sta	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Lmp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-MET001 Metaux Castle											
PO15014	1	No	M304B0.250x0.500 f		10/3/2011	10/6/2011	400.0000	\$2.44	0.0000	0	\$976.00
CAD			304 BAR .250 x .500 f		400.0000	DESJ02		\$976.00	0.0000	0	
			119158-9								
	2	No	M304B0.250x0.500		10/10/2011	10/6/2011	400.0000	\$2.44	0.0000	0	\$976.00
			304 BAR .250 x .500		400.0000	DESJ02		\$976.00	0.0000	0	
			119158-9								
	3	No	M304B0.250x0.500 f		10/3/2011	10/6/2011	840.3300	\$2.44	0.0000	0	\$2,050.41
			304 BAR .250 x .500 f		800.0000	DESJ02		\$2,050.41	0.0000	0	
			119158-9								
Total Received Quantity:											1,640.3300
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$4,002.41
Total Balance Due Quantity:											0.0000

[Handwritten signature] 10/10/02

**Castle Metals®**

A. M. Castle & Co.

BORDEREAU DE MARCHANDISES

Page 1 of 2

No de Formulaire d'Emballage / Shipment No: 1004756

Expédié de / Ship From: A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Vendu à / Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Expédié à / Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN CA		Livré à / Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA			
Date d'expédition / Date Shipped 03-OCT-2011		F.O.B. ORIGIN		Modalités de transport / Freight Terms Prepaid		Transporteur / Carrier MANITOULIN		No du Bon de connaissance / BOL No 1004756-2	

Détails d'expédition / Shipment Details		Destination finale / Final Destination Branch - MON	
--	--	--	--

N° de commande / Order No 1732524		N° de ligne / Line No 1		N° d'article / Item No 4969.BO		Description 0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000 SPECIFICATIONS: ASTM A276 SHIP OCTOBER 3RD ONLY	
N° de bon de commande / Purchase Order No 15014		Nbre de pièces / Part Number		Qté commandée / Ordered Qty		Qté Facturée / Invoice Qty 710 LBS	
Détails / Details ASTM A276 SHIP OCTOBER 3RD ONLY				680.00 LBS			
N° de livraison / Delivery No : 96507319		Usine / Mill		No de coulée / Heat Number 424554		Code mec / Mech Id	
						Pièces / PCS 133	
						Longueur (Pouce) / Length (IN) 148	
						Qté expédiée / Shipped Qty(LBS) 710	

Ces marchandises/technologies sont sujettes aux règlements de l'Export Administration et du département d'état des Etats-Unis. Si elles ont été/ont exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraire aux lois des Etats-Unis est interdite.

These commodities/technologies are subject to US Export Administration and, if intended for export, will be exported thereunder. Diversion contrary to US Law is prohibited.

Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports d'essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client ne peut être retourné pour crédit.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Ce matériel a été reçu et inspecté par _____ Date: _____ Name: _____



Castle Metals®

A. M. Castle & Co.

BORDEREAU DE MARCHANDISES

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO15014**

Purchase Order Date 9/26/2011

PO Print Date 9/26/2011

Page Number 1 of 1

Order From :

VC-MET001

METAUX CASTLE

A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100

TORONTO, ON M4Y 3A5

CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buyer

Linda Lacelle

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304B0.250x0.500	304 BAR .250 x .500	10/3/2011 Yes	400.00 f	Yours ppd	\$2.4400	\$976.00
		Special Inst:	MAT: AISI304/316 SS BAR OR AISI 304/316 SS PLATE AS PER SATM A276 OR ASTM A240				
2	M304B0.250x0.500	304 BAR .250 x .500	10/10/2011 Yes	400.00 f	Yours ppd	\$2.4400	\$976.00
		Special Inst:	MAT: AISI304/316 SS BAR OR AISI 304/316 SS PLATE AS PER SATM A276 OR ASTM A240				
3	M304B0.250x0.500	304 BAR .250 x .500	10/3/2011 Yes	800.00 f	Yours ppd	\$2.4400	\$1,952.00
		Special Inst:	MAT: AISI304/316 SS BAR OR AISI 304/316 SS PLATE AS PER SATM A276 OR ASTM A240				
PO Total:							\$3,904.00

Change Nbr: 1

Change Date: 9/26/2011

No substitution or deviation without consent.
Certificate of Conformity or Material Certification required when applicable



M 304B0.250X

0.520

M 11 9159

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine productrice

Avviso di Spedizione: D-VII1010941
Lieferanzeige/Packing list/B.L.

Ordine nr: 101003060 Stock - Canada
Bestel/Your order/Commande

Certificato nr: MEST035048/2011/
Prüfung/Test/Essai

Conferma ordine nr: EH1000505
Werk/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Stato di fornitura: Descaled Annealed Hotrolled
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Melting process/Mode d'elaboration

Punzone del Collaudatore:
Stempel des Werkssachverständigen
Inspector's stamp/Plombon de l'assesseur

Specifiche:
Anforderungen / Requirements / Exigences

VAL CANADA 2 304/304L A
ASME SA182 2010 S30400/03 (0)
ASME SA479 2010 S30400/03 (3)
ASTM A262 2010 PRACTICE E
ASTM A320 2010 B8
NACE MR0175* 2003 S30400/03 A (5)

AMS 5639 H S30400
ASME SA193 2010 B8 (1)
ASTM A182 2010A S30400/03 (4)
ASTM A276 2010 S30400/03
ASTM A479 2010A S30400/03
QQ-S-763 F 304/304L

AMS 5647 H S30403
ASME SA320 2010 B8 (2)
ASTM A193 2010A B8
ASTM A314 2008 S30400/03
MIL-S-862 B/1 304/304L

(0) SEC.II PT.A 2010 EDITION
(1) SEC.II PT.A 2010 EDITION
(3) SEC.II PT.A 2010 EDITION
(5) * ISO 15156-3

(0) For products machined directly from bar refer to ASME SA479.
(2) SEC.II PT.A 2010 EDITION
(4) For products machined directly from bar refer to ASTM A479.

Qualità: 304/304L
Werkstoff/Grade/Nuance

Marca: AISI
Markenbezeichnung/Brand/Nuance

Punzonatura: 304/304L
Kennzeichnung/Marking/Markage

Pos. nr. Pos. nr. Nr. de poste	Oggetto Gegenstand Product description Descrip. du produit	Dimensioni - In Abmessungen Dimension Dimension	Tolleranza Tolleranz. Tolerance	Lunghezza - In Länge Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0080	Fiat	0,5000 x 0,2500	484-09	147 / 149	424554		2.200	128601000

TEST ALLO STATO DI FORNITURA											
Test on delivery condition Prüfung auf lieferbarem produkt test a l'etat de fourniture Prueba sobre el material así como entregado											
TEST	Provetta/Probestab Specimen/Eprobestab Larg./diam. Spec. Breda./diam. Dicke Width./diam. Thickness Larg./diam. épais mm	°F	Posiz. Saggio Probenlage Lageorient. 1)	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Bruchdehnung Reduction of area Striction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB	
Valori richiesti 1 Anforderungen/Required values Valeurs demandées		min max		30	-	75 115	- 40	- 50	-	140 223	
A	12X6,3	68	L	46		86	53	64		178	

TEST	min	max
A Grain size for ASTM E112		5

1) L=longitudinale/längs, T=transversale/quer, Q=Tangenziale/tangentiel

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min - max 0,030	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,040	0,030	0,100	-	-	-	-
424554	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %			
	0,030	0,59	1,68	18,18	0,46	0,60	8,04	0,091	0,028	0,024	0,095			

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940 °F for 0.5 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind i. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza: OK
Verwechslungsprüfung: spektralanalytisch durchgeführt
Antiblocking testing performed: OK
Contrôle antimélange fait: r.a.s.

Controllo visivo e dimensionale: soddisfatta le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks:satisfactory
Contrôle visuel et dimensions: satisfaisant

Vicenza, 31/03/11
VCO008
(Mod. MCER)

Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 2

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
8724 HOGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine productrice

Stato di fornitura: Descaled Annealed Hotrolled
Lieferzustand/Delivery state/Etat de livraison

Avviso di Spedizione: D-VI11010941
Lieferanzeige/Packing list/B.L.

Ordine nr: 101003060 Stock - Canada
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erneuerungsart/Melting process/Mode d'elaboration

Certificato nr: MEST035048/2011/
Prüfung/Test/Essai

Conferma ordine nr: E111000505
Werks/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Pointon de l'essayeur



Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 by TÜEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Heat Number	424554
IAC Number	4969.60
Purchase Order	12759
Mechanical ID	
Lot ID	
LCS	
Test Report Date	
Comment	
Supplier Name	Valbruna
TMS	
Approved by:	BL

Vicenza, 31/03/11

VCC008
(Mod. MCER)

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 2 di 2